



The IP phone series  
for upmarket business purposes

**tiptel Htek UC900**

**tiptel**

## The high performance VoIP phones combine extensive comfort functions with modern design

The VoIP series tiptel Htek UC900 is a substantial business phone series with HD audio for an excellent voice quality and comprehensive comfort functions supporting common narrow band codecs.

The phones of the tiptel Htek UC900 series are rich in functions, highly comfortable and attractively priced. Thus, already the smaller model tiptel Htek UC923 comes with three VoIP accounts, six assignable display keys as well as Gigabit Ethernet for a fast data transmission. The large model tiptel Htek UC926 has six VoIP accounts and ten multiple assignable display keys. These keys can be configured up to four times with IP PBX features as for example BLF. Thus, the tiptel Htek UC926 has a capacity of up to 36 keys in total without using any extension modules.

By means of the extension module tiptel Htek UC46 the larger phone models tiptel Htek UC924 and UC926 can be enhanced by additional function keys. The tiptel Htek UC46 needs to be connected to the PC port – up to six modules on one phone. Each expansion module has 40 function keys arrayed in two levels. You can switch easily between the two levels by means of two separate keys. The programming of the keys can be done comfortably on the IP phone or PBX.

For a secure voice transmission the phones of the series tiptel Htek UC900 support besides the common SRTP encryption method the much safer ZRTP mode. A comprehensive compatibility with current phone systems allows an easy and comfortable set-up of the phones. They are supported by the PBXs of tiptel 8010/8020 All-IP, Yeastar S-Series, Phonalisa and 3CX with complex auto-provisioning features.

All models can be connected to a corded headset. The models UC923, UC924 and UC926 can be run also with a wireless DECT headset by means of an optional EHS30 adapter.



### Overview of models

#### tiptel Htek UC902

- 2.7"/7.0 cm graphical LCD, backlit, 123x48 pixel
- 2 VoIP accounts, 2 display keys
- 10/100 Mbit/s dual port Ethernet



### tiptel Htek UC912

- 2.7"/7.0 cm graphical LCD, backlit, 192x64 pixel
- 2 VoIP accounts, 4 display keys
- 10/100 Mbit/s Ethernet dual port
- Also available: UC912G with Gigabit port



### tiptel Htek UC903

- 2.7"/7.0 cm graphical LCD, backlit, 192x64 pixel
- 3 VoIP accounts, 6 display keys
- 10/100 Mbit/s Ethernet dual port



### tiptel Htek UC923

- 2.8"/7.2 cm graphical TFT-LC display, backlit, 320x240 pixel
- 3 VoIP accounts, 6 display keys
- 10/100/1000 Mbit/s Ethernet dual port



### tiptel Htek UC924

- 3.5/8.89 cm graphical TFT-LC color display, backlit, 480x320 pixel, 262,000 colors
- 4 VoIP accounts, 8 display keys
- Gigabit Ethernet dual port
- Also available: UC924E with Bluetooth



### tiptel Htek UC926

- 4.3"/10.9 cm graphical TFT-LC color display, backlit, 480x272 pixel, 16.7 million colors
- 6 VoIP accounts, 10 display keys
- Gigabit Ethernet dual port
- Also available: UC926E with Bluetooth/WiFi

### Details applying to all phones of the series

- Power over Ethernet (PoE)
- HD audio and support of common narrow band codecs



### tiptel Htek UC46

- Extension module for tiptel Htek UC924/926
- Large color display 5"/12.7 cm
- 40 programmable keys
- Use of up to six extension modules

Function	UC902	UC912	UC903	UC923	UC924	UC926
Graphic LC display (pixel)	132x48	192x64	192x64	–	–	–
Color display (cm, pixel)	–	–	–	2,8"/7.11, 320 x 240	3,5"/8.89, 480 x 320	4,3"/10.92, 480 x 272
Color depth	1 bit/bw	1 bit/bw	1 bit/bw	16 bit/65k	16 bit/65k	24 bit/16,7m
Background illumination	■	■	■	■	■	■
Display key	0	4	6	6	8	10
Programmable levels	0	4	4	4	4	4
Function keys	0	12	20	20	28	36
Status-dependent control keys	4	4	4	4	4	4
SIP accounts	2	2	3	3	4	6
HD voice	■	■	■	■	■	■
LAN port (Mbit/s)	10/100	10/100	10/100	10/100/1000	10/100/1000	10/100/1000
PC port (Mbit/s)	10/100	10/100	10/100	10/100/1000	10/100/1000	10/100/1000
Power over Ethernet (PoE)	■	■	■	■	■	■
Headset port	■	■	■	■	■	■
Wireless headset (adapter optional)	–	–	■	■	■	■
Port for extension modules	–	–	–	–	up to 6	up to 6
SRTP encryption	■	■	■	■	■	■
ZRTP encryption	■	■	■	■	■	■
Keys for mute, headset, answering machine, call transfer, redial, loudspeaker	■	■	■	■	■	■
Keys for conference calls and call hold	–	–	■	■	■	■

Additional devices available: UC912G with Gigabit port, UC924E with Bluetooth, UC926E with Bluetooth/WiFi

## Contact

**Germany: Tiptel.com GmbH Business Solutions** | Halskestr. 1 | 40880 Ratingen | www.tiptel.com  
Telephone +49 (0) 2102 428-0 | Fax +49 (0) 2102 428-10 | E-Mail: info@tiptel.com

**Austria: Tiptel GmbH** | Triester Str. 14/Haus 2/254 | 2351 Wiener Neudorf | www.tiptel.at  
Telephone +43 (0) 2236-677 464-0 | Fax +43 (0) 2236-677 464-22 | E-Mail: office@tiptel.at

**Switzerland: Tiptel AG** | Pumpwerkstrasse 40 | 8105 Regensdorf | www.tiptel-online.ch  
Telephone +41 (0) 44-843 13 13 | Fax +41 (0) 44-843 13 23 | E-Mail: tiptel@tiptel-online.ch

**The Netherlands: Tiptel bv** | Camerastraat 2 | 1322 BC Almere | info@tiptel.nl | www.tiptel.nl

**France: Tiptel sarl** | 23, avenue René Duguay-Trouin | 78960 Voisins-Le-Bretonneux | commercial@tiptel.fr | www.tiptel.fr

**Belgium: Tiptel NV** | Imperiastraat 10/B8 | 1930 Zaventem | office@tiptel.be | www.tiptel.be